

ATHH - Wood handle screwdrivers for slotted head screws - hexagonal forged blade




IMAGE UNAVAILABLE

Standards:

NF ISO 2380-1, NF ISO 2380-2, ISO 2380-1, ISO 2380-2, DIN ISO 2380-1, DIN ISO 2380-2, ASME B107.600

Description:

- Through blade allows separation of locked screws by means of light impacts.
- Forged and treated hexagonal blade for locking or unlocking with a wrench.
- Handle blade linked by fins.
- On the blade side, the handle includes a crimped steel ferrule with dampener, at the opposite side, a copper ring protects wood from impacts.
- Finish: polished chromed.

	A [m m]	A [in]	Diamet er [mm]	Diamet er D1 [mm]	Lengt h L1 [mm]	Lengt h L [mm]	Lengt h L2 [mm]	Thickne ss E [mm]	Weig ht [g]	Hex Size [m m]
ATHH.10X175	10.0		30.0	9.0	175.0	300.0	125.0	1.6	207.0	13.0
ATHH.12X200	12.0		32.0	10.0	200.0	330.0	130.0	2.0	278.0	17.0
ATHH.14X250	14.0		32.0	10.0	250.0	385.0	135.0	2.5	331.0	17.0
ATHH.4X90	4.0		25.0	4.5	90.0	195.0	95.0	0.8	49.0	6.0
ATHH.5.5X100	5.5		25.0	5.5	100.0	200.0	100.0	1.0	58.0	8.0
ATHH.6.5X125	6.5		26.0	6.5	125.0	240.0	115.0	1.2	100.0	10.0
ATHH.6.5X175	6.5		26.0	6.5	175.0	290.0	115.0	1.2	110.0	10.0
ATHH.8X150	8.0		28.0	8.0	150.0	270.0	120.0	1.2	160.0	13.0